

straightcurve®

Garden Edging, Raised Garden Beds & Planter Boxes

NEW

ClickConnect™

The fastest garden edging
system in the world!



Simply Better

www.straightcurve.com

Scan for nearest dealer
and demo locations





Create curved lines easily
Notches allow unmatched flexibility



Start your creative journey!

Whether it's off a plan or off the cuff, it's never been as easy as this. Be bold, be stylish, be innovative, be playful! Start your next creative journey here.

Contents

INTRODUCTION

- ⊕ Solution types and finishes 4

Straightcurve® Garden Edging

- ⊕ Straightcurve® ClickConnect™ Garden Edging System 7
- ⊕ Flex ClickConnect™ - 100mm 8
- ⊕ Rigid ClickConnect™ - 100mm 9
- ⊕ Flex ClickConnect™ - 150mm 10
- ⊕ Rigid ClickConnect™ - 150mm 11
- ⊕ Flex Original - 75mm 12
- ⊕ Zero-Flex Original - 75mm 13
- ⊕ Flex Original - 100mm 14
- ⊕ Rigid Original - 100mm 15
- ⊕ Zero-Flex Original - 100mm 16
- ⊕ Flex Original - 150mm 17
- ⊕ Rigid Original - 150mm 18
- ⊕ Zero-Flex Original - 150mm 19

Straightcurve® Raised Garden Beds

- ⊕ Flex - 240mm 22
- ⊕ Rigid - 240mm 23
- ⊕ Flex - 400mm 24
- ⊕ Rigid - 400mm 25
- ⊕ Zero-Flex - 400mm 26
- ⊕ Flex - 560mm 27
- ⊕ Rigid - 560mm 28
- ⊕ Zero-Flex - 560mm 29
- ⊕ Looking for Inspiration - Visit our Blog 30

Straightcurve® Planter Boxes

- ⊕ Planter Box Panel - 400 mm 33
- ⊕ Planter Box Panel - 560 mm 34
- ⊕ Pre-Curved Rings - 800 mm Diameter 35

ACCESSORIES

- ⊕ Support Systems 37

WHAT PROFESSIONALS SAY

- ⊕ Video Testimonials 38
- ⊕ Landscaper & DIY user benefits 39



Decisions decisions... Straight or curved?

Deciding what you need or simply seeking inspiration? At some point there comes a time to choose if the lines in your garden will be straight or curving. The product range is designed to have solutions for both, so it's helpful to know just what you want!



STRAIGHT

The Straightcurve® Rigid range is suited for firm straight lines, with the Rigid Garden Edging lines also being capable of slight curves that offer plenty of strength to hold the gentlest curve.

Straightcurve® Zero-Flex products present different profiles that are all suited to making lasting, perfectly straight unmovable lines courtesy of their continuous top fold and grounding feet.



CURVED

The Straightcurve® Flex range is great for organic and flowing lines. As they flex rather than bend you can make all curves effortlessly by hand on site as you go, it comes naturally!



COMBINATIONS

It's OK to have some of each in a garden too. Our Rigid products are join compatible with our Flex products of the same height, while the Zero-Flex with thoughtful design can integrate well with the other ranges.

Finish choices

The entire Straightcurve® range is available in a weathering steel or galvanised finish. Perfect for whatever look you are going for!



WEATHERING STEEL

Weathering steel is an alloy that develops a rusty-looking protective patina, giving a natural finish.



GALVANISED STEEL

The galvanised look is for people who prefer a grey/silver finish and is longer lasting.



Discreet joins

Hidden fixings for
a neat finish

Get the look!

Choose a modern galvanised
or natural weathered finish.

Garden Edging

Perfect for!

- ✓ Lawn barriers
- ✓ Pathway edges
- ✓ Separating materials like stone and mulch

NEW

ClickConnect™

The fastest garden edging system in the world!



MAKE LANDSCAPING EASIER WITH

ClickConnect™

The fastest garden edging
system in the world!*



Securely connect steel garden
edging, in seconds, without power
tools or tek screws.

WATCH VIDEO




*Based on field testing with
landscape professionals.

Scan me
for more info!




Straightcurve® Garden Edging



Straightcurve® Flex ClickConnect™ - 100 mm x 1800 mm

IDEAL FOR

- Fastest edge joining and installation
- Firmest hold in all soil types
- Meandering garden paths and curved lawn areas
- Surrounding feature trees and garden beds
- Separating areas of stone/woodchips/mulch etc
- Retrofits and hard ground where trenching is not easy



AVAILABLE EDGING LENGTHS

200MM 400MM 800MM 1800MM

FL100WS-1800 WEATHERING STEEL



All specifications and installation instructions can also be found here:
www.straightcurve.info/500

Scan me
for more info!





Straightcurve® Rigid ClickConnect™ - 100 mm x 1800 mm

IDEAL FOR


- ✓ Fastest edge joining and installation
- ✓ Firmest hold in all soil types
- ✓ Straight garden paths and straight lawn areas
- ✓ Linear surrounds of feature trees and garden beds
- ✓ Separating areas of stone / woodchips / mulch etc
- ✓ Retrofits and hard ground where trenching is not easy



AVAILABLE EDGING LENGTHS

200MM 400MM 800MM 1800MM

RL100WS-1800 WEATHERING STEEL




All specifications and installation instructions can also be found here:
www.straightcurve.info/501

Scan me
for more info!




Straightcurve® Garden Edging



Straightcurve® Flex ClickConnect™ - 150 mm x 1800 mm

IDEAL FOR

- Fastest edge joining and installation
- Firmest hold in all soil types
- Meandering garden paths and curved lawn areas
- As a barrier for invasive grasses and groundcovers
- Surrounding feature trees and garden beds
- Retrofits and new ground or easy-dig installations
- Showing a little more edge by setting higher



AVAILABLE EDGING LENGTHS

200MM | 400MM | 800MM | 1800MM

FL150WS-1800 WEATHERING STEEL



All specifications and installation instructions can also be found here:
www.straightcurve.info/502

Scan me
for more info!






Straightcurve® Rigid ClickConnect™ - 150 mm x 1800 mm

IDEAL FOR

- Fastest edge joining and installation
- Firmest hold in all soil types
- Straight garden paths and straight lawn areas
- As a barrier for invasive grasses and groundcovers
- Linear surrounds of feature trees and garden beds
- Retrofits and new ground or easy-dig installations
- Showing a little more edge by setting higher



AVAILABLE EDGING LENGTHS

200MM 400MM 800MM 1800MM

RL150WS-1800 WEATHERING STEEL



All specifications and installation instructions can also be found here:
www.straightcurve.info/503

Scan me
for more info!



Straightcurve® Garden Edging



IDEAL FOR

- ✓ Meandering garden paths and curved lawn areas
- ✓ Surrounding feature trees and garden beds
- ✓ Separating areas of stone/woodchips/mulch etc
- ✓ Paving, compacted stone and artificial turf edging
- ✓ Harder ground installations



FL075WS WEATHERING STEEL
FL075GS GALVANISED STEEL



All specifications and installation
instructions can also be found here:
www.straightcurve.info/039

Scan me
for more info!





Straightcurve® Zero-Flex Original - 75 mm x 2200 mm

IDEAL FOR

- ✓ Straight garden paths and straight lawn areas
- ✓ Linear surrounds of feature trees and garden beds
- ✓ Separating areas of stone /woodchips/mulch etc
- ✓ Paving, compacted stone and artificial turf edging
- ✓ Harder ground installations



RL075WS WEATHERING STEEL
RL075GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/040

Scan me
for more info!




Straightcurve® Garden Edging



IDEAL FOR

- Meandering garden paths and curved lawn areas
- Surrounding feature trees and garden beds
- Separating areas of stone/woodchips/mulch etc
- Retrofits and hard ground where trenching is not easy



FL100WS WEATHERING STEEL
FL100GS GALVANISED STEEL



All specifications and installation
instructions can also be found here:
www.straightcurve.info/041

Scan me
for more info!






Straightcurve® Rigid Original - 100 mm x 2200 mm

IDEAL FOR

- ✓ Straight garden paths and straight lawn areas
- ✓ Linear surrounds of feature trees and garden beds
- ✓ Separating areas of stone /woodchips/mulch etc
- ✓ Retrofits and hard ground where trenching is not easy



RL100WS WEATHERING STEEL
RL100GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/042

Scan me
for more info!




Straightcurve® Garden Edging



Straightcurve® Zero-Flex Original - 100 mm x 2200 mm

IDEAL FOR

- ✓ Designs requiring perfect straight lines that stay true
- ✓ Neat, formal and orderly courtyard gardens
- ✓ Linear tree surrounds and garden beds
- ✓ Discreet Divider between gravels/woodchips/mulch etc
- ✓ Lock in paving or compacted/loose fill paths



HL100WS WEATHERING STEEL
HL100GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/045

Scan me
for more info!






Straightcurve® Flex Original - 150 mm x 2200 mm

IDEAL FOR

- ✓ Meandering garden paths and curved lawn areas
- ✓ As a barrier for invasive grasses and groundcovers
- ✓ Surrounding feature trees and garden beds
- ✓ Retrofits and new ground or easy dig installations
- ✓ Showing a little more edge by setting higher



FL150WS WEATHERING STEEL
FL150GS GALVANISED STEEL



All specifications and installation
instructions can also be found here:
www.straightcurve.info/043

Scan me
for more info!




Straightcurve® Garden Edging



Straightcurve® Rigid Original - 150 mm x 2200 mm

IDEAL FOR

- ✓ Straight garden paths and straight lawn areas
- ✓ As a barrier for invasive grasses and groundcovers
- ✓ Linear surrounds of feature trees and garden beds
- ✓ Retrofits and new ground or easy dig installations
- ✓ Showing a little more edge by setting higher



RL150WS WEATHERING STEEL
RL150GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/044

Scan me
for more info!






Straightcurve® Zero-Flex Original - 150 mm x 2200 mm

IDEAL FOR

- ✓ Designs requiring perfect straight lines that stay true
- ✓ Neat, formal and orderly courtyard gardens
- ✓ As a barrier for invasive grasses and groundcovers
- ✓ Linear tree surrounds and garden beds
- ✓ Divider between gravels/woodchips/mulch etc
- ✓ Showing a little more edge by setting higher



HL150WS WEATHERING STEEL
HL150GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/046

Scan me
for more info!



Did you know?

You can paint our galvanised product range in any colour to suit your style!

go bold and bright!



or subtle and stylish

Pro Tip: For best results, clean and apply an etch primer to your galvanised steel panels before painting with your desired finish colour.

Raised Garden Beds

Perfect for!

- ✓ Raised garden borders and feature beds
- ✓ Steps and terraces
- ✓ Low retaining

NEW

Improved

Rigid and Flex Products
Updated for 2025




Straightcurve® Raised Garden Beds



IDEAL FOR

- ✓ Slightly raised and curving garden bed borders
- ✓ Slightly raised closed shape feature beds
- ✓ Feature tiered lawn areas within a garden
- ✓ Terraces and retaining across gentle slopes
- ✓ Hard surface mounting i.e. rooftops/decking



*Requires bracing accessories.
Ask your stockist about available bracing options.

FL240WS WEATHERING STEEL
FL240GS GALVANISED STEEL



All specifications and installation
instructions can also be found here:
www.straightcurve.info/505

Scan me
for more info!





Straightcurve® Rigid - 240 mm x 2200 mm

IDEAL FOR

- ✓ Slightly raised, straight garden bed borders
- ✓ Slightly raised, closed shape feature beds
- ✓ Path steps and retaining across gentle slopes
- ✓ Lawn edges that stand taller or are buried deeper
- ✓ Hard surface mounting i.e. rooftops/decking



*Requires bracing accessories.
Ask your stockist about available bracing options.

RL240WS WEATHERING STEEL RL240GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/506

Scan me
for more info!




Straightcurve® Raised Garden Beds



Straightcurve® Flex - 400 mm x 2200 mm

IDEAL FOR

- ✓ Raised and curving garden bed borders
- ✓ Raised closed shape feature beds and kitchen gardens
- ✓ Feature tiered lawn areas within a garden
- ✓ Terraces and retaining across gentle slopes
- ✓ Hard surface mounting i.e. rooftops/decking



*Requires bracing accessories.
Ask your stockist about available bracing options.

FL400WS WEATHERING STEEL
FL400GS GALVANISED STEEL



All specifications and installation
instructions can also be found here:
www.straightcurve.info/507

Scan me
for more info!






Straightcurve® Rigid - 400 mm x 2200 mm

IDEAL FOR

- ✓ Raised, straight garden bed borders
- ✓ Raised, closed shape feature beds and kitchen gardens
- ✓ Feature tiered lawn areas within a garden
- ✓ Terraces and retaining across gentle slopes
- ✓ Hard surface mounting i.e. rooftops/decking



*Requires bracing accessories.
Ask your stockist about available bracing options.

RL400WS WEATHERING STEEL RL400GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/508

Scan me
for more info!



Straightcurve® Raised Garden Beds



IDEAL FOR

- ✓ Designs requiring perfect straight lines and corners
- ✓ Raised, straight-sided feature beds and kitchen gardens
- ✓ Terracing and retaining across gentle slopes
- ✓ Narrow free-standing raised garden beds
- ✓ An extra large custom made planter box look
- ✓ Hard surface mounting i.e. rooftops/decking

AVAILABLE PANEL LENGTHS

400MM 600MM 800MM 1000MM 1200MM 2000MM

Combine panels to make any size in 200mm increments

*Requires bracing accessories.
Ask your stockist about available bracing options.



FHL400WS WEATHERING STEEL
FHL400GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/189

Scan me
for more info!





Straightcurve® Flex - 560 mm x 2200 mm

IDEAL FOR

- ✓ Tall and curving garden bed borders
- ✓ Tall closed shape feature beds and kitchen gardens
- ✓ Feature tiered lawn areas within a garden
- ✓ Terraces and retaining across gentle slopes
- ✓ Hard surface mounting i.e. rooftops/decking

*Requires bracing accessories.
Ask your stockist about available bracing options.



FL560WS WEATHERING STEEL
FL560GS GALVANISED STEEL



All specifications and installation
instructions can also be found here:
www.straightcurve.info/509

Scan me
for more info!



Straightcurve® Raised Garden Beds



Straightcurve® Rigid - 560 mm x 2200 mm

IDEAL FOR

- ✓ Tall, straight garden bed borders
- ✓ Tall, closed shape feature beds and kitchen gardens
- ✓ Feature tiered lawn areas within a garden
- ✓ Terraces and retaining across gentle slopes
- ✓ Hard surface mounting i.e. rooftops/decking



*Requires bracing accessories.
Ask your stockist about available bracing options.

RL560WS WEATHERING STEEL
RL560GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/510

Scan me
for more info!





Straightcurve® Zero-Flex - 560 mm

IDEAL FOR

- ✓ Designs requiring perfect straight lines and corners
- ✓ Tall, straight-sided feature beds and kitchen gardens
- ✓ Terracing and retaining across gentle slopes
- ✓ Narrow free-standing raised garden beds
- ✓ An extra large custom made planter box look
- ✓ Hard surface mounting i.e. rooftops/decking

AVAILABLE PANEL LENGTHS

400MM | 600MM | 800MM | 1000MM | 1200MM | 2000MM

Combine panels to make any size in 200mm increments

*Requires bracing accessories.
Ask your stockist about available bracing options.



FHL560WS WEATHERING STEEL
FHL560GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/190

Scan me
for more info!



LOOKING FOR INSPIRATION?

Visit Our Blog

The perfect resource for design inspiration and project guidance.



DIY home user Garden Edging

10 minutes

Choosing the Best Garden Edging for a Beautiful, Low-Maintenance Garden

[Read more →](#)



DIY home user Garden Edging

10 minutes

26 Modern Australian Front Yard Ideas to Transform Your Space

[Read more →](#)



DIY home user Garden Edging

10 minutes

Steel Garden Edging: Everything You Need to Know for Your Next Project

[Read more →](#)

Choose from idea-sparking 10-minute reads to more in-depth essential guides on garden edging options.


Get the key information you need to make smart garden design choices whilst avoiding costly mistakes.



VISIT OUR BLOG

Scan me for
inspo & advice!





Safety minded

Stylish rolled edges to keep children & pets safe



Ticks all the Boxes!

Choose Straightcurve planter boxes to quickly build a lasting, high-end aesthetic into your landscape projects.

Planter Boxes

Perfect for!

- ✓ Square and rectangular planter boxes
- ✓ L and U shaped 'build your own' planters
- ✓ Pre-curved circular boxes
- ✓ XL planter boxes



Straightcurve® Planter Boxes



Straightcurve® Planter Box Panel - 400 mm

IDEAL FOR

- ✓ Square and rectangular planters
- ✓ Land U and other funky shaped planter boxes
- ✓ Custom made planter boxes for particular situations
- ✓ Bases for seats and tables
- ✓ Freestanding planter boxes on rooftops or hard surface areas
- ✓ Hard surface mounting i.e. rooftops/decking
- ✓ Difficult to access sites - flat packed for easier delivery


AVAILABLE PANEL LENGTHS

400MM | 600MM | 800MM | 1000MM | 1200MM

Combine panels to make any size in 200mm increments

*Requires bracing accessories.

Ask your stockist about available bracing options.



FHL400WS WEATHERING STEEL
FHL400GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/191

Scan me
for more info!



Straightcurve® Planter Boxes



Straightcurve® Planter Box Panel - 560 mm

IDEAL FOR

- ✓ Square and rectangular planters
- ✓ Land U and other funky shaped planter boxes
- ✓ Custom made planter boxes for particular situations
- ✓ Freestanding planter boxes on rooftops or hard surface areas
- ✓ Hard surface mounting i.e. rooftops/decking
- ✓ Difficult to access sites - flat packed for easier delivery

AVAILABLE PANEL LENGTHS

400MM | 600MM | 800MM | 1000MM | 1200MM

Combine panels to make any size in 200mm increments

*Requires bracing accessories.
Ask your stockist about available bracing options.



FHL560WS WEATHERING STEEL
FHL560GS GALVANISED STEEL

All specifications and installation
instructions can also be found here:
www.straightcurve.info/192

Scan me
for more info!



Straightcurve® Circular Planters



Straightcurve® Pre-Curved Rings - 800 mm Diameter


IDEAL FOR

- ✓ Perfectly circular planters
- ✓ Freestanding planters on rooftops or hard surface areas
- ✓ Difficult to access sites - box packed for easier delivery

AVAILABLE PANEL HEIGHTS

240MM 400MM 560MM

*No additional bracing required.
Everything you need is supplied in the box.



PR240WS-800-BOX4

All specifications and installation instructions can also be found here:
straightcurve.info/511



PR400WS-800-BOX4

All specifications and installation instructions can also be found here:
straightcurve.info/512



PR560WS-800-BOX4

All specifications and installation instructions can also be found here:
straightcurve.info/513





Beautifully even patina

Weathering Steel expert tip

For best results with Weathering Steel products

- Once installed, wash with warm soap and water to remove the protective coating and encourage development of an even patina - this may take weeks or months depending on weather conditions.


Support systems

straightcurve®


Support	Compatibility	Suitability
	Universal Bracing Set (1 brace per set)	240mm, 400mm and 560mm Flex, Rigid and Zero-Flex Planters
	Ground Anchor Post 470mm	240mm Flex and Rigid
	Ground Anchor Post 1100mm	400mm and 560mm Flex and Rigid
	Ground anchor post 1100mm & fitting set (sold separate to post)	Zero-Flex Planters
		Firm and hard ground

Configurations	Number of supports recommended (per 1800 mm - 2200 mm length)
Tight rings using 2 lengths	0
Closed shapes and strong curves	2
Gentle curves and straight lines	3


What professionals say



Landscaper & DIY user benefits



DESIGNED
FOR DIY



NATURALLY FLEXIBLE,
EASY TO CURVE



STRAIGHT LINES
STAY TRUE



DISCREET, NEAT
JOINING



QUICK TO
INSTALL



SMOOTH ROLLED
TOP EDGES

GREAT BENEFITS

- ✓ Easy and quick installation
- ✓ Each connection is always right
- ✓ Suitable for soft, hard or concrete surfaces
- ✓ Natural looking finish
- ✓ Durable and strong – won't crack, warp or shift later
- ✓ Easy combinations of rigid and flex garden edges
- ✓ Products made for straight lines and curves
- ✓ No need to concrete edges in place
- ✓ No welding required
- ✓ Sold in sets with stakes and connectors.

Simply Better

straightcurve®

Australian Distribution Partner:

Straightcurve Australia Pty Ltd
1300 943 667
assistance@straightcurve.com.au

Distributor:



Scan for
nearest dealer &
demo locations

www.straightcurve.com